EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S55	749	(authenticat$3 authoriz$5) near6 ((access adj point) "AP") with (((secur$3 sensitive configur$6) near3 (information data)) password ID key)	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:18
S56	3	S55 and ((disconnect$3 disabl$3) near6 ((access adj point) "AP") with ((eras $3 remov$3 delet$3 terminat$3) near6 (((secur $3 sensitive configur$6) near3 (information data)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:27
S57	5	((disconnect$3 disabl$3) near6 ((access adj point) "AP") with ((eras$3 remov $3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data)) password ID key))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:30
S58	15	("713"/$.ccls. "380"/$. ccls. "726"/$.ccls. "709"/$. ccls. "370"/$.ccls. "379"/$. ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) with ((access adj point) "AP") same ((eras$3 remov $3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:38
S59	22	("20010046224" | "20020066034" | "20020197978" | "20030033413" | "20030058095" | "20030065934" | "20030135762" | "20030142641" | "20040252837" | "5265005" | "5598412" | "5659604" | "6137802" | "6363489" | "6400925" | "6459557" | "6584113" |	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:41

		"6654588" | "6687833" | "7140040" | "7159237" | "7181530").PN.				
S60	0	S59 and ((disconnect$3 disabl$3) with ((access adj point) "AP") same ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:41
S62	10	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) with (network near3 device) same ((eras$3 remov$3 delet$3 terminat $3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:43
S63	2	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) with (network near3 device) same ((eras$3 remov$3 delet$3 terminat $3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key))).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:47
S64	46	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) with (device unit) same ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key))).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:48

S65	20	S64 and @ad<"20040206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 12:50
S66	313	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) with (device unit) same ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:51
S67	1	S66 and ((authenticat$3 authoriz$5) near6 ((access adj point) "AP") with (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:52
S68	706	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((authenticat$3 authoriz$5) near6 ((access adj point) "AP") with (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:53
S69	1	S66 and S68	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:54
S70	222	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) with (device) same ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USOCR	OR	ON	2008/07/29 12:55

S71	89	S70 and @ad<"20040206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 12:55
S72	58	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3) near6 (device) with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 12:56
S73	25	S72 and @ad<"20040206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 12:57
S74	2	("6269395", "9839336", "6691227").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 14:06
S75	0	S74 and ((disconnect$3 disabl$3) with ((access near point) device) same ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 14:07
S76	6	((disconnect$3 disabl$3) near6 ((access adj point) "AP") with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6 authenticat$3 authoriz$5) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 14:14
S79	0	((power$3 near3 (off down)) near6 ((access adj point) "AP") with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6 authenticat$3 authoriz$5) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 14:32

S80	26	((power$3 near3 (off down)) near6 (device) with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6 authenticat$3 authoriz$5) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 14:34
S81	2	S80 and ((access adj point) "AP")	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/29 14:45
S82	9	merchant-shehzad-t.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S83	9	pitcher-derek-h.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S84	1	lin-victor-c.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S85	2	rathi-manish-m.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S86	2	li-jia-ru.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S87	1	peters-matthew-r.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S88	46	srinivasan-balaji.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:39
S89	6	jain-vipin-k.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:40

S90	2	maitra-amit-k.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:40
S91	82	extreme-networks.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 21:41
S92	0	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3 (power$3 near3 (off down))) near6 ((base near station) hotspot (hot near spot)) with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/30 21:19
S93	5	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and ((disconnect$3 disabl$3 (power$3 near3 (off down))) near6 ("ap" (access near point) (base near station) hotspot (hot near spot)) with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/30 21:21

S94	5	((disconnect$3 disabl$3 (power$3 near3 (off down)) near6 ("ap" (access near point) (base near station) hotspot (hot near spot)) with ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/30 21:22
S95	0	S93 not S94	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/30 21:23
S96	12	(((disconnect$3 disabl$3 (power$3 near3 (off down))) near6 ("ap" (access near point) (base near station) hotspot (hot near spot)) same ((eras$3 remov$3 delet$3 terminat$3) near6 (((secur$3 sensitive configur$6) near3 (information data parameter)) password ID key)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/30 21:23
S97	7	S96 not S93	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/30 21:24
S98	33	(download$3 with (((sensitive secur$3 configura$4) near3 (information data parameter)) password key) with (access adj point))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 09:33
S99	30	("713"/$.ccls. "380"/$. ccls. "726"/$.ccls. "709"/$. ccls. "370"/$.ccls. "379"/$. ccls. "455"/$.ccls.) and S98	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 10:05
S100	109	(download$3 with (((sensitive secur$3 configura$4) near3 (information data parameter)) password key) with ((access adj point) hotspot "hot spot" (base near station)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 10:07

S101	82	("713"/$.ccls. "380"/$.ccls. "726"/$.ccls. "709"/$.ccls. "370"/$.ccls. "379"/$.ccls. "455"/$.ccls.) and S100	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 10:07
S102	52	S101 not S98	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 10:08
S103	10	S102 and volatile	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 10:09
S104	19	S102 and ((authoriz$5 authenticat$3) with access $3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/31 10:28

7/31/08 2:35:25 PM
C:\ Documents and Settings\ mnguyen16\ My Documents\ EAST\ Workspaces\ 10773394.wsp